

2026
OEM



KUN TENG INDUSTRY

since 1947



OEM

ENDURO BOOST P04

ENDURO MTB P05

ROAD DISC P06

ROAD P07

NEW P08

SPORT DYNAMO HUB P09

MICRO SPLINE
12SP 3X1



OEM

Kun Teng Industry Co., Ltd., founded by Mr. Kun Teng Chen, is one of the first-generation professional hub manufacturers in Taiwan's bicycle industry. The history is as follows:

- 1947** – Established Feng Rong Enterprise, producing screws and drum-brake hubs. Main market: Southeast Asia.
- 1966** – Expanded the factory and established Kun Teng Industry Co., Ltd., producing steel hubs, alloy hubs (thread type hub), and coaster brakes. Monthly sales reached 1,000,000 pieces, with the main market being the United States.
- 1989** – Started producing alloy cassette hubs and entered the European market.
- 2012** – Began producing dynamo hubs, with Europe as the main market.
- 2018** – Began restructuring product designs to enhance product lifespan, meeting the quality requirements for e-bikes and MTB.
- 2019** – Started producing 3-speed internal gear hubs, with Europe as the main market.
- 2021** – Began mass production of ratchet system hubs, with the main markets being the United States and Europe.
- 2023** – Started mass production of 612 POE hubs for MTB, with the main market being the United States.

ENDURO BOOST Front ID Ø15 x 110mm / Rear ID Ø12 x 148mm



QL-TH8F

WEIGHT:229g

Spoke Hole:28, 32, 36
 Option:Center Lock: QL-TH9F
 Axle Material: AL7075
 Sealed Cartridge Bearings(SB): 2pcs

ENDURO BOOST



QL-TH8NMR

WEIGHT:401g

Spoke Hole:28, 32, 36
 Axle Material: AL7075
 Freehub Body: Cr-Mo 3 pawls x 1 spring w/Shimano 11sp, MS
 12sp or Sram XD cassette
 Sealed Bearings(SB): 4pcs

Recommended for Cargo bike

OPTIONS

CL	QL-TH9NMR	IS6	QL-TH8NMR	Shimano 11SP
CL	QL-TH9NXR	IS6	QL-TH8NXR	Sram XD
CL	QL-TH9NSR	IS6	QL-TH8NSR	MS 12SP

"No 36H for Center Lock model "

ENDURO MTB Front ID Ø15 x 100mm / Rear ID Ø12 x 142mm



QL-THHF

WEIGHT:227g

Spoke Hole:28, 32, 36
 Option: Center Lock: QL-TH2F
 Axle Material: AL7075
 Sealed Bearings(SB): 2pcs

ENDURO MTB



QL-TH1NMR

WEIGHT: 398g

Spoke Hole:28, 32, 36
 Axle Material: AL7075
 Freehub Body: Cr-Mo 3 pawls x 1 spring w/Shimano 11sp, MS
 12sp or Sram XD cassette
 Sealed Bearings(SB): 4pcs

Recommended for Cargo bike

OPTIONS

CL	QL-TH2NMR	IS6	QL-TH1NMR	Shimano 11SP
CL	QL-TH2NXR	IS6	QL-TH1NXR	Sram XD
CL	QL-TH2NSR	IS6	QL-TH1NSR	MS 12SP

"No 36H for Center Lock model "



OEM

ENDURO

ROAD

NEW

DYNAMO



OEM

ENDURO

ROAD

NEW

DYNAMO

ROAD DISC

Front ID Ø12 x 100mm / Rear ID Ø12 x 142mm



ROAD

Front ID Ø5 x 100 x 108mm / Rear ID Ø5 x 130 x 140mm



OEM

OEM

ENDURO

ENDURO

ROAD

ROAD

NEW

NEW

DYNAMO

DYNAMO

6

7



QL-THCF

WEIGHT:146g

Spoke Hole:24, 28, 32

Axle Material: AL7075

Sealed Bearings(SB): 2pcs



QL-2VDF

WEIGHT:74g

Spoke Hole:20

Axle Material: AL7075

Sealed Cartridge Bearings(SB): 2pcs



QL-THCNMR

WEIGHT:290g

Spoke Hole:24, 28, 32

Axle Material: AL7075

Freehub Body:AL7075 3 pawls x 1 spring w/Shimano 11sp,
Sram XDR, or Campy cassette

Sealed Cartridge Bearings(SB): 4pcs

OPTIONS

CL	QL-THCNMR	Shimano 11SP
CL	QL-THCNDR	Sram XDR
CL	QL-THCNCR	Campy
CL	QL-THCNYR	Campy N3W



QL-4V7MR

WEIGHT:248g

Spoke Hole:20, 24

Axle Material: AL7075

Freehub Body: AL7075 4 pawls x 4 springs w/ Shimano 11sp,
Sram XDR, or Campy cassette

Sealed Cartridge Bearings(SB): 4pcs

OPTIONS

QL-4V7MR	Shimano 11SP
QL-4V7DR	Sram XDR
QL-4V7CR	Campy
QL-4V7YR	N3W



DURABILITY PROVEN FRONT HUB FOR E-BIKE



QL-MHDF

WEIGHT:361g
 Spoke Hole: 13G/32, 36
 Axle system: 3/8" axle
 O.L.D: 100mm
 Axle Material: Steel
 Flange PCD: 58mm
 Sealed Cartridge Bearings(SB): 2pcs



QL-THHF

WEIGHT:227g
 Spoke Hole:14G/28, 32, 36
 Axle system: QR, Thru axle 12 / 15mm
 O.L.D: 100mm
 Axle Material: AL7075
 Flange PCD: 58mm
 Sealed Cartridge Bearings(SB): 2pcs

Features:

Sealed cartridge bearings for durability

Support for 3/8", QR, Thru axle 12mm and 15mm system

Recommends to E-city, E-bike, and E-Cargo

REGULAR DYNAMO HUB

JH-KD5F

WEIGHT:453g
 Brake type: Disc Brake
 Axle Type: QR 15 / 12 / 5.2mm (one hub can be compatible with 3 different end cap)
 Spoke Holes: 28H / 32H / 36H
 O.L.D: 100mm
 Sealed Cartridge Bearing(SB): 2pcs
 Option: CL: **JH-KC5F**



JH-KD6F

WEIGHT:415g
 Brake Type: Disc Brake
 Axle Type: QR
 Spoke Holes: 32H / 36H
 O.L.D: 100mm
 Sealed Cartridge Bearing(SB): 2pcs
 Option: CL: **JH-KC6F**




JH-KV6F


WEIGHT:395g
 Brake Type: V-Brake
 Axle Type: QR
 Spoke Holes: 32H / 36H
 O.L.D: 100mm
 Sealed Cartridge Bearing(SB): 2pcs

POWER TEST

WHEEL STVZO VOLTAGE OUTPUT TEST



LIGHT SWITCHED ON



LIGHTS SWITCHED OFF

